National Examinations December 2013 98-Ind-B2-Manufacturing Processes 3 hours duration

Notes:

- 1. If doubt exists as to the interpretation of any question, the candidate is urged to submit with the answer paper, a clear statement of any assumptions made.
- 2. This is a Closed Book exam. Candidates may use one of two calculators, the Casio or Sharp approved models.
- 3. Any five questions constitute a complete paper. Only the first five questions as they appear in your answer book will be marked.
- 4. All questions are of equal value.
- 5. Write your answers in point-form whenever possible, but fully. Show all the calculations.

Marking Scheme (marks)

1.	(i) 7,	(ii) 7,	(iii) 6
2.	(i) 8,	(ii) 7,	(iii) 5
3.	(i) 7,	(ii) 7,	(iii) 6
4.	(i) 7,	(ii) 7,	(iii) 6
5.	(i) 6,	(ii) 8,	(iii) 6
6.	(i) 8,	(ii) 6,	(iii) 6
7.	(i) 6,	(ii) 6,	(iii) 8

Front Page

National Examinations December 2013 98-Ind-B2-Manufacturing Processes

- 1. (i) Explain the major responsibilities of manufacturing engineers in the manufacture of a product. How do they cooperate with industrial engineering when plant floor activities are concerned?
 - (ii) What are the factors considered in the selection of engineering materials for manufacturing?
 - (iii) State your understanding of the annealing process. What is the purpose of the annealing process?
- 2. (i) State the important factors that must be considered in casting operations. Explain the reasons for using casting processes over other manufacturing methods.
 - (ii) What is a shell molding process? State the advantages and disadvantages of this process.
 - (iii) What are the advantages and limitations of permanent molds casting processes (die, centrifugal, etc.)?
- 3. (i) What are the different types of metal chips and which one of them is the best?
 - (ii) What is a built-up edge and how does it affect the metal cutting operation? How can it be eliminated or minimized?
 - (iii) In an orthogonal metal cutting operation, the following data are obtained:

Underformed chip thickness = 0.0098 inches

Actual chip thickness = 0.0169 inches

Rake angle = 20°

Determine the shear angle.

- 4. (i) Explain briefly the factors or parameters that influence the metal cutting processes.
 - (ii) Briefly state your understanding of: (a) tool wear and failure, (b) surface finish and integrity and (c) machinability.
 - (iii) What are the current trends in metal cutting processes?
- 5. (i) State the factors that should be considered in the selection of a welding process for a particular operation.
 - (ii) Explain the characteristics of the following welding processes including their general chemical expressions or equations, where applicable: (1) oxyacetylene, (2) arc, and (3) resistance.
 - (iii) What is the basic difference between oxyfuel gas cutting and arc cutting? State the different types of arc cutting.
- 6. (i) What is the basic difference between the two groups of plastics? State the characteristics of each group of plastics.
 - (ii) Explain the purpose of employing specific additives in polymers.
 - (iii) Explain the manner by which the various factors affect the general properties of plastics.

- 7. (i) What are the elements of statistical process control?
 - (ii) What is acceptance sampling? State your understanding of acceptance quality level (AQL).
 - (iii) Explain the essentials of Deming and Taguchi methods of quality control/engineering.