National Exams December 2013

07-Elec-A3, Signals and Communications

3 hours duration

NOTES:

- 1. If doubt exists as to the interpretation of any question, the candidate is urged to submit with the answer paper, a clear statement of any assumptions made.
- 2. This is a Closed Book Exam but one aid sheet is allowed written on both sides. An approved calculator is permitted.
- 3. There are six questions, however, FIVE (5) questions constitute a complete paper. The first five questions as they appear in the answer book will be marked.
- 4. All questions are of equal value.
- 5. Clarity and organization of the answer are important.

1. (Total 20 marks) A periodic signal x(t) is expressed as

$$x(t) = 2\cos t + \cos(3t - \frac{2\pi}{3}) + 2\cos(8t + \frac{2\pi}{3})$$

- (a) (10 marks) Sketch the amplitude and phase spectra for the trigonometric Fourier series.
- (b) (5 marks) By inspection of spectra in part (a), sketch the exponential Fourier series spectra.
- (c) (5 marks) By inspection of spectra in part (b), write the exponential Fourier series for x(t).

2. (Total 20 marks) Over an interval $|t| \leq 1$, an angle modulated signal is given by

$$\varphi_{EM}(t) = 10\cos 12,000t$$

It is known that the carrier frequency $\omega_c = 10,000$. The m(t) is modulating signal.

- (a) (10 marks) If this were a PM (phase modulation) signal with $k_p = 1000$, determine m(t) over the interval $|t| \le 1$.
- (b) (10 marks) If this were an FM (frequency modulation) signal with $k_f = 1000$, determine m(t) over the interval $|t| \le 1$.

- 3. (20 marks total) A signal $x(t) = sinc^2(10\pi t)$ is sampled (using uniformly spaced impulses) at a rate of (i) 10 Hz; (ii) 20 Hz; (iii) 30 Hz. For each of the three case:
 - (a) (5 marks) Sketch the sampled signal.
 - (b) (5 marks) Sketch the spectrum of the sampled signal.
 - (c) (5 marks) Explain whether you can recover the signal x(t) from the sampled signal.
 - (d) (5 marks) If the sampled signal is passed through an ideal low-pass filter of bandwidth 10 Hz, sketch the spectrum of the output signal.

4. (Total 20 marks) Let $X(j\omega)$ denote the Fourier transform of the signal x(t) depicted in the Figure 1.




Figure 1:

- (a) (4 marks) Find $\angle X(j\omega)$.
- (b) (4 marks) Find X(j0).
- (c) (4 marks) Find $\int_{-\infty}^{\infty} X(j\omega)d\omega$.
- (d) (4 marks) Evaluate $\int_{-\infty}^{\infty} X(j\omega) \frac{2\sin\omega}{\omega} e^{j2\omega} d\omega$.
- (e) (4 marks) Evaluate $\int_{-\infty}^{\infty} |X(j\omega)|^2 d\omega$. (You may use properties of the Fourier transform to perform all these calculations)

5. (Total 20 marks) Consider a right-sided sequence x[n] with z-transform

$$X(z) = \frac{1}{(1 - \frac{1}{2}z^{-1})(1 - z^{-1})}.$$

- (a) (10 marks) Carry out a partial-fraction expansion of the equation given above which is expressed as a ratio of polynomials in z^{-1} , and from this expansion determine x[n].
- (b) (10 marks) Rewrite the equation X(z) given above as a ratio of polynomials in z, and carry out a partial-expansion of X(z) expressed in terms of polynomials in z. From this expansion, determine x[n], and demonstrate that the sequence obtained is identical to that obtained in part (a).

- 6. (Total 20 marks) Consider a radio transmitter rated for $S_T \leq 3$ kW (S_T is average transmitted power) and $A_{max}^2 \leq 8$ kW (A_{max}^2 is peak envelope power). Let the modulating signal be a tone with $A_m = 1$
 - (a) (5 marks) What is S_x , message power?
 - (b) (5 marks) If the modulation is DSB, what is the maximum possible power per sideband (P_{sb}) ?
 - (c) (10 marks) Let the modulation signal be a square wave that switches periodically between x(t) = +1 and x(t) = -1. Sketch $x_c(t)$ when
 - i. the modulation is AM with $\mu=0.5$ (μ is modulation index),
 - ii. the modulation is AM with $\mu = 1$, and
 - iii. the modulation is DSB.

Indicate the envelopes by dashed lines.