

NATIONAL EXAMINATIONS MAY 2010

04-BS-2

PROBABILITY AND STATISTICS

2 HOURS DURATION

NOTES:

1. If doubt exists as to the interpretation of any question, the candidate is urged to submit with the answer paper a clear statement of any assumption made.
2. "Closed Book" – no-aids other than
 - (i) A Casio or Sharp approved calculator
 - (ii) ONE hand-written information sheet (8.5" x 11"), filled on both sides.
3. Any 5 questions constitute a complete paper. Only 5 questions will be marked.
4. All questions are of equal value.
5. Statistical tables of the normal, t, chi-square and F distributions are provided.

Marking Scheme

- 1.(a) 5 marks (b) 5 marks (c) 5 marks (d) 5 marks
- 2.(a) 5 marks (b) 5 marks (c) 5 marks (d) 5 marks
- 3.(A) 5 marks (B) 5 marks (C) (a) 5 marks (b) 5 marks
- 4.(a) 7 marks (b) 7 marks (c) 6 marks
- 5.(A) (a) 5 marks (b) 5 marks (B) (a) 5 marks (b) 5 marks
6. 20 marks
- 7.(a) 10 marks (b) 10 marks
- 8.(a) 5 marks (b) 5 marks (c) 5 marks (d) 5 marks

1. The weight W of the $60\text{cm} \times 60\text{cm}$ patio stones sold by Delightful Gardens is a normally distributed random variable with mean and standard deviation equal to 22.6kgs and 0.8kgs respectively.

- (a) Mr. Chancey buys one of this type of patio stones in order to replace a similar one that was broken in his backyard. What is the probability that the new patio stone will weigh less than 22.0kgs? Draw the probability density function of W , neatly and clearly, and indicate the area that corresponds to this probability.
- (b) Compute (i) the lower quartile and (ii) the upper decile of the probability distribution of W . Explain, clearly and neatly, the meaning of these quantities.
- (c) Let M represent the mean weight of a random sample of 16 patio stones. (i) Find the mean and standard deviation of M . (ii) Write down the probability density function of W and M . (iii) Draw the probability density function of W and M on the same diagram. (iv) Compute the probability that M exceeds 22.5kgs.
- (d) Let T be the sum of the weights of 25 patio stones. Find $E(T)$ and $\text{Var}(T)$. Then compute the probability that T exceeds 560.0kgs. Draw the probability density function of T , neatly and clearly, and indicate the area that corresponds to this probability.

2. Extensive data gathered by the manager of the Water Services Division of a large municipality revealed that the number of calls received by the maintenance department of the division follows the Poisson law with an average of 3.5 calls per hour.

- (a) Compute the probability that the maintenance department receives more than 2 but fewer than 7 calls in a given hour.
- (b) Compute the probability that the maintenance department receives more than 5 calls in a period of two hours.
- (c) Use an appropriate approximation to find the probability that the maintenance division receives at least 90 calls during a period of 24 hours.
- (d) Find the probability that the maintenance division receives 3 calls in a given hour and 5 calls in the following hour.

3.(A) Mrs. Moonlight bought a box of 12 fluorescent light bulbs from CheapoMart. Unknown to Mrs. Moonlight 4 of the light bulbs contained in the box are substandard.

- (a) Mrs Moonlight randomly selects 6 bulbs from this box and installs them in her chandelier. What is the probability that at least four are standard?
- (b) Assume that a sample of five bulbs is randomly selected from the box. Let X denote the number of substandard bulbs in the sample. Find the probability distribution of X . Then find the mean and variance of X .

3.(B) Sixty percent of the calls received by the maintenance department of Happy House Heating (HHH) during the winter months concern the failure of the electric motor used in the heating system.

- (a) Find the probability that in a random sample of 15 calls received by the maintenance department of HHH more than 6 but fewer than 11 concern the electric motor.
- (b) Use an appropriate approximation to find the probability that in a random sample of 700 calls more than 400 concern the electric motor.

4. The following data pertain to the daily output X , in tonnes, of a continuous chemical process over a period of 14 days

$$\sum X = 285.50; \quad \sum X^2 = 5830.16$$

- (a) Find the 99% confidence limits of (i) the true mean and (ii) the true standard deviation of the daily output. Assume that X is a normally distributed random variable.
- (b) Test the hypothesis that the mean daily output is not significantly different from 20.6 tonnes. Let $\alpha = 0.05$.
- (c) Test the hypothesis that the true standard deviation is not significantly different from 0.60 tonnes. Let $\alpha = 0.05$.

5.(A) A random sample of 625 bricks manufactured by Coliseum Works using a new process yielded a mean compressive strength equal to 5,550psi and a variance equal to 40,000psi.

- (a) The owner of Coliseum Works claims that the compressive strength of the bricks manufactured by this new process is not significantly different from 5,560psi. Do the data support her claim? Let $\alpha = 0.05$.
- (b) How large should the sample be if we wish to know the true mean compressive strength with a maximum error of 4psi and 99% confidence?

5.(B) A survey carried out on behalf of Proficient Hardware revealed that in a random sample of 800 customers 650 use Proficient's credit card to pay for their purchases.

- (a) Find a 90% confidence interval of the true proportion of customers who use Proficient's credit card to pay for their purchases.
- (b) What should the size of the sample be if we wish to know the true proportion with a maximum error of 0.03 and 99% confidence?

6. The quality of mattresses manufactured by ABX are classified as superior, good, average and inferior by the Production and Quality Control department. Past performance of the plant shows that 70% of the production is classified as superior, 15% as good, 10% as average and 5% as inferior. As a check on last month's run of the plant 840 mattresses were randomly selected and after careful examination yielded the following classification

QUALITY	Superior	Good	Average	Inferior
FREQUENCY	600	160	70	10

Test the hypothesis that there was no change in the quality of production last month. Let $\alpha=0.05$.

7. The following results represent a summary of the tests carried out by the Quality Control Department of Senior Motors Corporation (SMC) to determine the lifetime of high intensity light bulbs manufactured by two different companies. Originally sixteen bulbs from each manufacturer were tested. However, due to some clerical errors, five results had to be discarded. The remaining results of these tests were as follows:

	Manufacturer A	Manufacturer B
Sample size	$n_A = 13$	$n_B = 14$
Sample Mean (hours)	$m_A = 3,000$	$m_B = 3,120$
Sample Standard Deviation (hours)	$s_A = 90$	$s_B = 115$


- (a) Test the hypothesis that the variability of the lifetime of bulbs obtained from Manufacturer A is not significantly different from that obtained from Manufacturer B. Let $\alpha=0.05$. State any assumptions you need to make.
- (b) Test the hypothesis that the mean lifetime of bulbs obtained from Manufacturer A is not significantly different from that obtained from Manufacturer B. Let $\alpha=0.05$.

8. The following data represent observations of the stack loss Y of nitric acid, in grammes per cubic metre, corresponding to the temperature X, in degrees Celsius, of the cooling system of a plant preparing nitric acid by the oxidation of ammonia with air.

$$\begin{aligned} \sum_{i=1}^n X_i &= 614.0 & ; \quad \sum_{i=1}^n X_i^2 &= 12,820.0 & ; \quad \sum_{i=1}^n Y_i &= 78.7; \\ \sum_{i=1}^n Y_i^2 &= 228.2 & ; \quad \sum_{i=1}^n X_i Y_i &= 1662.6 & ; \quad n &= 30 \end{aligned}$$

- (a) Compute $\text{Cov}(X, Y)$ and the coefficient of correlation r.
- (b) Test the hypothesis that the true coefficient of correlation ρ is not significantly different from zero Let $\alpha = 0.05$.

- (c) It is believed that Y and X are related by an equation of the form $Y = \beta_0 + \beta_1 X + \varepsilon$.
Write down the normal equations of the least squares line and then compute the estimates b_0 and b_1 of β_0 and β_1 respectively.
- (d) Compute the error sum of squares. Then use this information to find the 95% confidence limits of β_1 .

NORMAL DISTRIBUTION TABLE

$$F(z) = \frac{1}{\sqrt{2\pi}} \int_0^z e^{-t^2/2} dt$$

<i>z</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1405	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2957	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3952	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4255	.4279	.4292	.4306	.4319
1.5	.4232	.4245	.4257	.4270	.4282	.4294	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4905	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990

t - DISTRIBUTION




v	$\alpha = 0.100$	$\alpha = 0.050$	$\alpha = 0.025$	$\alpha = 0.010$	$\alpha = 0.005$	v
1	3.078	5.314	12.705	31.821	53.657	1
2	1.886	2.920	4.303	5.965	9.925	2
3	1.538	2.353	3.182	4.541	5.841	3
4	1.523	2.132	2.776	3.747	4.604	4
5	1.476	2.015	2.571	3.365	4.032	5
6	1.440	1.943	2.447	3.143	3.707	6
7	1.415	1.895	2.365	2.998	3.499	7
8	1.397	1.860	2.306	2.896	3.355	8
9	1.383	1.831	2.252	2.821	3.250	9
10	1.372	1.812	2.228	2.764	3.169	10
11	1.363	1.796	2.201	2.718	3.106	11
12	1.356	1.782	2.179	2.681	3.055	12
13	1.350	1.771	2.150	2.650	3.012	13
14	1.345	1.761	2.145	2.624	2.977	14
15	1.341	1.753	2.131	2.602	2.947	15
16	1.337	1.746	2.120	2.583	2.921	16
17	1.333	1.740	2.110	2.567	2.898	17
18	1.330	1.734	2.101	2.552	2.878	18
19	1.328	1.729	2.093	2.539	2.861	19
20	1.325	1.725	2.086	2.528	2.845	20
21	1.323	1.721	2.080	2.518	2.831	21
22	1.321	1.717	2.074	2.508	2.819	22
23	1.319	1.714	2.069	2.500	2.807	23
24	1.318	1.712	2.064	2.492	2.797	24
25	1.316	1.708	2.060	2.485	2.787	25
26	1.315	1.706	2.056	2.479	2.779	26
27	1.314	1.703	2.052	2.473	2.771	27
28	1.313	1.701	2.048	2.467	2.763	28
29	1.311	1.699	2.045	2.462	2.756	29
30	1.302	1.645	1.950	2.325	2.576	30

THE CHI-SQUARE DISTRIBUTION

χ^2	Probability that chi-square value will be exceeded							
	.995	.990	.975	.950	.050	.025	.010	.005
1	---	---	---	.004	3.84	5.02	6.63	7.89
2	.01	.02	.05	.10	5.99	7.38	9.21	10.50
3	.07	.11	.22	.35	7.81	9.35	11.34	12.84
4	.21	.30	.48	.71	9.49	11.14	13.28	14.86
5	.41	.55	.83	1.15	11.07	12.83	15.09	15.75
6	.68	.87	1.24	1.64	12.59	14.45	16.91	18.55
7	.99	1.24	1.69	2.17	14.07	16.01	18.48	20.28
8	1.34	1.65	2.18	2.73	15.51	17.53	20.09	21.96
9	1.73	2.09	2.70	3.33	16.92	19.02	21.67	23.59
10	2.16	2.56	3.25	3.94	18.31	20.48	23.21	25.19
11	2.60	3.05	3.82	4.57	19.68	21.92	24.72	26.76
12	3.07	3.57	4.40	5.23	21.03	23.34	26.22	23.30
13	3.57	4.11	5.01	5.89	22.36	24.74	27.69	29.82
14	4.07	4.66	5.53	6.57	23.68	26.12	29.14	31.32
15	4.60	5.23	6.26	7.26	25.00	27.49	30.58	32.80
16	5.14	5.81	6.91	7.96	26.30	28.85	32.00	34.27
17	5.70	6.41	7.56	8.67	27.59	30.19	33.41	35.72
18	6.26	7.01	8.23	9.39	28.87	31.53	34.81	37.16
19	6.84	7.63	8.91	10.12	30.14	32.85	36.19	38.58
20	7.43	8.26	9.59	10.85	31.41	34.17	37.57	40.00
21	8.03	8.90	10.28	11.59	32.67	35.48	38.93	41.40
22	8.64	9.54	10.98	12.34	33.92	36.78	40.29	42.80
23	9.25	10.20	11.69	13.09	35.17	38.08	41.64	44.18
24	9.89	10.86	12.40	13.85	36.42	39.36	42.98	45.56
25	10.52	11.52	13.12	14.61	37.65	40.65	44.31	46.93
26	11.16	12.20	13.84	15.38	38.89	41.92	45.64	48.29
27	11.81	12.88	14.57	16.15	40.11	43.19	46.95	49.64
28	12.46	13.56	15.31	16.93	41.34	44.46	48.23	50.99
29	13.12	14.25	16.05	17.71	42.56	45.72	49.59	52.34
30	13.79	14.95	16.79	18.49	43.77	46.98	50.89	53.6
40	20.71	22.16	24.43	26.52	55.76	59.24	63.69	66.7
50	27.99	29.71	32.36	34.76	67.50	71.42	76.15	79.4
60	35.53	37.48	40.48	43.19	79.08	83.30	88.33	91.9
70	43.28	45.44	48.76	51.74	90.53	95.02	100.43	104.2
80	51.17	53.54	57.19	60.55	101.88	106.63	112.33	116.3
90	59.20	61.75	65.55	69.12	113.14	118.14	124.12	128.3
100	67.33	70.06	73.55	77.92	124.34	130.56	135.81	140.1


F - DISTRIBUTION



I	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	...
4032	4993	5	3403	3625	3764	3859	3928	3982	6022	6036	6106	6157	6209	6215	6161	6287	6313	6166
9150	9200	9225	9231	9233	9237	9240	9242	9245	9247	9249	9249	9249	9249	9249	9249	9249	9249	9249
3412	3082	2946	2871	2824	2791	2767	2749	2733	2705	2687	2669	2650	2641	2632	2622	2613	2604	2604
2110	1800	1669	1598	1552	1521	1498	1480	1466	1453	1437	1420	1402	1384	1375	1365	1356	1346	1346
1625	1327	1205	1139	1097	1067	1046	1029	1016	1005	989	972	955	947	938	929	920	911	902
1375	1092	978	915	875	847	810	798	772	757	732	714	697	677	657	637	617	607	598
1223	935	845	783	746	719	692	684	672	662	647	631	616	607	599	591	582	574	565
1126	865	759	701	663	637	618	603	591	581	567	552	536	528	520	512	503	495	486
1036	802	699	642	605	580	561	547	535	526	511	496	481	473	465	457	448	440	441
1004	736	655	599	564	539	520	506	494	485	471	456	441	433	425	417	408	400	391
965	721	672	637	592	532	507	489	474	454	440	425	410	402	394	386	378	369	360
933	691	593	541	506	482	464	439	432	419	410	398	378	370	362	354	345	336	327
907	670	574	521	486	462	444	430	419	410	396	382	366	359	351	343	335	327	318
886	631	535	504	469	446	428	414	403	394	380	367	352	347	341	335	327	318	309
840	611	518	477	444	420	403	389	378	369	355	346	331	316	308	300	292	283	275
829	601	509	458	423	401	384	371	360	351	337	323	308	300	292	284	275	266	257
818	593	505	450	417	394	377	363	352	343	330	315	300	292	284	275	267	258	249
810	585	494	443	410	387	370	356	346	337	323	309	294	286	278	269	261	252	242
802	578	487	437	404	381	364	351	340	331	317	303	293	282	272	264	255	246	236
795	572	482	431	399	376	359	345	335	326	312	298	283	273	267	258	250	240	231
788	566	476	426	394	371	351	341	330	321	307	293	278	270	262	254	245	235	226
782	561	472	422	390	367	350	336	326	317	303	290	280	272	264	257	248	239	227
777	537	468	418	385	363	346	332	322	313	303	290	280	272	264	257	248	239	227
772	533	464	414	382	359	342	329	318	309	296	284	272	264	256	248	240	232	221
768	549	411	378	356	339	326	315	306	293	281	270	262	253	247	238	229	220	210
764	545	407	375	353	336	323	312	303	290	275	260	252	244	235	226	217	206	200
760	542	454	404	371	350	333	320	309	300	287	273	257	249	241	231	221	211	201
756	539	431	402	370	347	330	317	307	298	284	270	253	247	239	230	221	211	201
731	518	383	351	329	312	299	289	280	266	252	237	229	220	211	202	192	182	172
708	498	413	365	334	312	295	282	272	263	250	235	220	212	203	194	184	174	164
683	479	393	348	317	296	286	276	266	256	247	234	219	203	195	186	176	166	156
663	461	378	332	280	251	241	218	204	188	179	167	159	147	132	122	118	108	100


F - DISTRIBUTION

Appendix 5 of 6



1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	...
647.8	799.5	864.2	892.6	921.8	937.1	948.2	936.7	963.1	968.6	976.7	984.9	993.1	997.2	1001	1006	1010	1014	1018
19.51	39.00	39.17	39.23	39.30	39.31	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.47	39.48	39.49	39.50	39.50
17.41	16.04	15.44	15.10	14.88	14.71	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.08	14.04	13.99	13.95	13.90	13.90
12.72	10.63	9.98	9.60	9.36	9.20	9.07	8.94	8.80	8.73	8.66	8.59	8.51	8.46	8.41	8.36	8.31	8.26	8.21
10.01	8.43	7.76	7.39	7.13	6.92	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.07	5.01	4.96	4.90	4.83
8.81	7.26	6.60	6.23	5.92	5.62	4.92	4.90	4.82	4.76	4.67	4.57	4.47	4.37	4.20	4.10	3.93	3.78	3.67
8.07	6.54	5.80	5.32	5.12	4.82	4.65	4.53	4.43	4.36	4.20	4.10	3.96	3.87	3.77	3.67	3.56	3.45	3.31
7.51	6.05	5.42	5.05	4.82	4.58	4.12	4.10	3.96	3.87	3.77	3.67	3.61	3.56	3.45	3.31	3.19	3.08	3.00
7.21	5.03	4.72	4.48	4.24	4.07	3.93	3.85	3.78	3.72	3.63	3.57	3.53	3.49	3.43	3.37	3.32	3.23	3.17
6.94	5.45	4.83	4.47	4.24	4.04	3.88	3.76	3.66	3.59	3.51	3.44	3.37	3.30	3.25	3.17	3.12	3.02	2.95
6.72	5.26	4.63	4.28	4.04	3.89	3.73	3.61	3.51	3.44	3.37	3.30	3.25	3.15	3.05	2.95	2.89	2.84	2.78
6.53	5.10	4.47	4.12	3.89	3.77	3.60	3.59	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.79	2.73	2.67	2.61
6.41	4.97	4.35	4.00	3.77	3.60	3.50	3.38	3.29	3.15	3.05	2.93	2.83	2.72	2.67	2.59	2.52	2.46	2.40
6.30	4.86	4.24	3.89	3.69	3.58	3.41	3.29	3.20	3.12	3.05	2.99	2.89	2.79	2.70	2.64	2.59	2.52	2.45
6.20	4.77	4.15	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32
6.12	4.69	4.08	3.83	3.65	3.44	3.28	3.16	3.06	2.98	2.91	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32
6.04	4.62	4.01	3.66	3.48	3.28	3.10	3.01	2.93	2.87	2.77	2.67	2.59	2.51	2.45	2.39	2.32	2.27	2.20
5.98	4.56	3.93	3.61	3.43	3.23	3.17	3.05	2.96	2.88	2.77	2.67	2.62	2.54	2.45	2.39	2.32	2.25	2.19
5.97	4.51	3.89	3.56	3.33	3.17	3.05	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.45	2.39	2.32	2.25	2.19
5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.75	2.64	2.53	2.42	2.31	2.24	2.18	2.12	2.05	2.00
5.83	4.42	3.82	3.48	3.23	3.05	2.93	2.84	2.76	2.67	2.56	2.47	2.36	2.26	2.19	2.12	2.05	1.97	1.91
5.79	4.38	3.78	3.44	3.22	3.05	2.90	2.81	2.73	2.67	2.57	2.47	2.34	2.24	2.13	2.07	2.01	1.94	1.87
5.73	4.35	3.75	3.41	3.18	3.03	2.89	2.78	2.70	2.64	2.54	2.43	2.32	2.21	2.15	2.09	2.03	1.98	1.91
5.72	4.32	3.72	3.38	3.13	3.03	2.89	2.78	2.70	2.64	2.54	2.43	2.32	2.21	2.15	2.09	2.03	1.98	1.91
5.69	4.29	3.69	3.35	3.11	2.97	2.83	2.75	2.68	2.61	2.51	2.42	2.31	2.21	2.14	2.07	2.01	1.94	1.88
5.57	4.18	3.59	3.25	3.01	2.87	2.73	2.63	2.59	2.49	2.42	2.33	2.25	2.19	2.13	2.07	2.00	1.93	1.85
5.42	4.03	3.46	3.13	2.93	2.71	2.60	2.50	2.40	2.31	2.21	2.11	2.03	1.98	1.91	1.83	1.77	1.71	1.67
5.29	3.93	3.34	3.01	2.79	2.61	2.42	2.32	2.22	2.12	2.02	1.92	1.82	1.72	1.67	1.61	1.55	1.49	1.43
5.13	3.80	3.23	2.89	2.59	2.39	2.21	2.11	2.03	1.94	1.84	1.74	1.64	1.54	1.48	1.42	1.36	1.30	1.24
5.01	3.77	3.17	2.81	2.51	2.27	2.07	1.97	1.87	1.77	1.67	1.57	1.47	1.37	1.27	1.17	1.07	1.01	0.95
5.01	3.74	3.14	2.79	2.50	2.26	2.06	1.96	1.86	1.76	1.66	1.56	1.46	1.36	1.26	1.16	1.06	0.96	0.86
5.01	3.71	3.11	2.76	2.47	2.23	2.03	1.93	1.83	1.73	1.63	1.53	1.43	1.33	1.23	1.13	1.03	0.93	0.83
5.01	3.69	3.08	2.73	2.44	2.20	1.99	1.89	1.79	1.69	1.59	1.49	1.39	1.29	1.19	1.09	0.99	0.89	0.79

F - DISTRIBUTION



1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	-
1.614	1.925	2.157	2.246	2.102	2.340	2.168	2.189	2.105	2.419	2.439	2.439	2.480	2.491	2.502	2.511	2.522	2.533	
1.531	1.909	1.916	1.925	1.910	1.933	1.935	1.937	1.938	1.940	1.941	1.941	1.945	1.945	1.946	1.947	1.948	1.949	
1.013	9.555	9.288	9.12	9.01	8.94	8.83	8.81	8.79	8.74	8.70	8.66	8.62	8.59	8.57	8.53	8.51	8.50	
7.71	6.94	6.59	6.39	6.16	6.04	6.02	6.00	5.96	5.91	5.86	5.80	5.75	5.72	5.69	5.66	5.63	5.61	
6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	
3.99	3.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	
3.99	4.74	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	
3.32	4.45	4.07	3.84	3.58	3.30	3.14	3.01	2.83	2.80	2.73	2.69	2.62	2.54	2.49	2.43	2.39	2.30	
3.12	4.26	3.86	3.63	3.48	3.27	3.17	3.07	3.02	2.98	2.91	2.85	2.79	2.72	2.65	2.57	2.51	2.45	
4.06	4.10	3.71	3.48	3.22	3.14	3.07	3.02	2.95	2.90	2.85	2.79	2.74	2.69	2.62	2.54	2.49	2.40	
4.84	3.98	3.59	3.36	3.20	3.11	3.00	2.91	2.83	2.80	2.73	2.69	2.62	2.54	2.49	2.44	2.39	2.30	
4.73	3.89	3.49	3.26	3.11	2.99	2.83	2.76	2.70	2.63	2.60	2.53	2.46	2.41	2.36	2.31	2.27	2.21	
4.57	3.81	3.43	3.15	3.11	2.96	2.83	2.76	2.70	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	
4.60	3.74	3.34	3.11	2.96	2.83	2.76	2.72	2.71	2.64	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.20	
4.54	1.68	3.29	3.06	2.90	2.79	2.74	2.65	2.59	2.54	2.47	2.42	2.37	2.31	2.27	2.24	2.20	2.16	
4.49	3.63	3.24	3.01	2.83	2.71	2.61	2.53	2.49	2.45	2.38	2.34	2.29	2.23	2.19	2.15	2.10	2.05	
4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.53	2.46	2.41	2.34	2.27	2.21	2.15	2.11	2.06	2.02	1.97	
4.41	3.55	3.16	2.93	2.77	2.65	2.58	2.51	2.46	2.41	2.34	2.27	2.21	2.15	2.11	2.07	2.01	1.98	
4.18	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.41	2.35	2.29	2.24	2.19	2.14	2.09	2.04	2.00	1.96	
4.15	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.32	2.27	2.21	2.15	2.10	2.05	2.01	1.97	1.92	
4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.31	2.25	2.20	2.15	2.10	2.06	2.02	2.07	2.11	
4.30	3.44	3.03	2.82	2.65	2.53	2.44	2.37	2.32	2.27	2.21	2.15	2.10	2.05	2.01	1.97	1.93	1.89	
4.28	3.42	3.03	2.80	2.64	2.53	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.80	
4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.85	1.81	
4.24	3.39	3.02	2.76	2.60	2.49	2.40	2.34	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.87	1.83	
4.21	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.20	2.13	2.07	2.01	1.98	1.94	1.89	1.85	1.81	
4.21	3.35	2.96	2.73	2.57	2.46	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.73	
4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.18	2.10	2.03	1.94	1.89	1.85	1.81	1.77	1.73	
4.18	3.33	2.91	2.70	2.55	2.43	2.35	2.28	2.24	2.16	2.09	2.01	1.96	1.90	1.85	1.80	1.75	1.69	
4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.22	2.15	2.07	2.01	1.97	1.93	1.88	1.84	1.79	1.75	
4.08	3.23	2.84	2.61	2.43	2.34	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.66	1.61	1.55	1.50	
4.00	3.23	2.76	2.53	2.37	2.25	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.57	1.52	1.46	1.40	
3.92	1.07	2.68	2.45	2.21	2.07	2.01	1.94	1.88	1.83	1.77	1.71	1.65	1.59	1.53	1.47	1.42	1.38	
3.84	1.00	2.60	2.37	2.17	2.01	1.94	1.88	1.83	1.77	1.71	1.65	1.59	1.53	1.47	1.42	1.37	1.32	